

ARCHDIOCESE OF CINCINNATI SAFETY AWARENESS/RISK ANALYSIS REPORT

2024-2025

(For completion by: Business Manager in consultation with Pastor and/or Principal)

GENERAL INFORMATION

Parish/School Nan	ne:		AOC Account #		
			(found on Assessment Invoice)		
, tadi ess					
Telephone Numbe	er:		Email:		
Completed by:			Date:		
Number of Parishi	oners:		Number of Students:		
Number of Emplo	yees:				
	occurred on the prope	•	r (i.e. remodeling, repurposing, policies,		
	☐ Rectory		☐ Autos		
☐ School	☐ High School	☐ Hall(s)	☐ Vans/Trucks		
	☐ Garage				
□ Gym	☐ Storage	☐ Other			
Describe the chan	ges for the above chec	ked boxes:			
			_		
i					

Of Note:

- Prior to any new construction/remodeling over \$25,000, contact the Director of Property Management at the Archdiocese of Cincinnati.
- The offices of Risk Management and Property Management in the Pastoral Center are here to help with any property or liability concerns. A team approach can expedite resolution to concerns and can help reduce potential hazardous property/operational exposures. Contact:
 - o Director of Risk Management: Bill Maly 513-263-3354 bmaly@catholicaoc.og
 - o Director of Property Management: Joseph Mangan 513-263-6602 jmangan@catholicaoc.org

RISK AWARENESS

Contacts:

Questions on Risk Management:

Bill Maly, Director of Risk Management Archdiocese of Cincinnati bmaly@catholicaoc.org
100 E 8th St., Cincinnati, OH 45202
513-263-3354

Questions on Child Protection and Safe Environment:

Bill Mitchell, Coordinator of Office of Safe Environment Archdiocese of Cincinnati bmitchell@catholiccincinnati.org 100 E 8th St., Cincinnati, OH 45202 513-263-3347

Loss or Claim Incident:

Claims Reporting Number: 833-273-5479
Property and Liability Claims

Certificate of Insurance Coverage request:

Online request form: https://resources.catholicaoc.org/offices/finance/risk-management

Workplace Injury:

- 1. Contact Claims Reporting Number: 833-273-5479
- 2. Complete an Accident Report: resources.catholicaoc.org/offices/finance/risk-management/insurance-coverages
- 3. Maintain Accident Records Copies in parish/school files

RISK AWARENESS (continued)

Checklist:

01. □Yes □No □N/A	Do all contractors (construction, building services, food services, maintenance, etc.) supply a Certificate of Insurance and of Workers' Comp? This is <u>required</u> . • Liability insurance limits for general and auto should be \$1,000,000 minimum (\$2,000,000 preferred) Combined Single Limit. Statutory Requirements should be listed for Workers' Compensation. The Archbishop, Archdiocese, and Parish should be indicated as Additional Named Insured.
02. □Yes □No □N/A	Do all outside groups or parishioners that use your property for non-parish/school sponsored events purchase Special Events Insurance? This is mandatory . Direct all outside groups or parishioners to the Risk Management website resources.catholicaoc.org/offices/finance/risk-management/insurance-coverages#SpecialEvents
03. □Yes □No □N/A	Is Risk Management contacted prior to ANY lease or rental agreement regarding the buildings listed on the previous page? • The Archbishop is the only one who can sign real property leases or rentals.
04. □Yes □No □N/A	Do all new employees receive a New Employee Orientation? • See documents available at resources.catholicaoc.org/offices/human-resources/employee-onboarding
05. □Yes □No □N/A	Are all new employees (full-time and part-time) notified of Automatic Enrollment into the 401(k) Plan?
06. □Yes □No □N/A	Do all new employees sign on receipt of the Employee Handbook and related policies?
07. □Yes □No □N/A	Are all new employees and volunteers instructed on Safe Parish and Selection.com requirements? • Contact Bill Mitchell, Coordinator of the Office of Safe Environment (513-263-3347, bmitchell@catholicaoc.org) for questions or concerns.
08. □Yes □No □N/A	Has the parish examined money collection policies with strong internal control processes? (Mass Collection Activities, Fund Raiser Activities, or Other)
09. □Yes □No □N/A	Do you use numbered security bags in Mass Collection Process? • The cost of security bags will be reimbursed by the Archdiocese of Cincinnati. Send copy of paid invoice to Finance Office finance@catholicaoc.org
10	_How often are deposits made?
11. □Yes □No □N/A	Do two people accompany the deposit to the bank?
12. □Yes □No □N/A	Are deposit times varied?
13. □Yes □No □N/A	Are different teams used for counting and handling purposes?
14. □Yes □No □N/A	Are money collection teams rotated?
15. □Yes □No □N/A	Prior to deposit, are collected monies kept in a safe?It is suggested that the safe combination be changed when staff who know the combination change.

RISK AWARENESS (continued)

16.	□Yes	□No	□N/A	Is the safe locked at all times?
17.	□Yes	□No	□N/A	Is a counter signature mandatory on all outgoing checks for all accounts? • This is strongly suggested.
18.	□Yes	□No	□N/A	 Is the pastor a signatory on all parish group checking accounts? If so, the pastor should actively sign checks, and no stamps should be used. If a stamp exists it should be destroyed.
19.	□Yes	□No	□N/A	Is an inventory of all valuables maintained? (Vessels, Vestments, Artwork, Documents and Pictures) • This greatly helps in the event of a loss.
20.	□Yes	□No	□N/A	Has an inventory list via flash drive or CD of all valuables been sent to the AOC Finance Office?
21.	□Yes	□No	□N/A	Are all keys accounted for with only limited masters?
22.	□Yes	□No	□N/A	Are sacristy doors locked? • This is recommended.
23.	□Yes	□No	□N/A	Are all buildings equipped with smoke detectors changed every ten years and batteries changed annually where necessary?
24.	□Yes	□No	□N/A	Are all buildings equipped with emergency lighting? • Bulbs should be routinely checked.
25.	□Yes	□No	□N/A	Do all buildings have adequate exterior security lighting?
26.	□Yes	□No	□N/A	Is surge protection used to prevent electrical surge damage? • Includes building and individual electronic equipment.
27.	□Yes	□No	□N/A	Are computer access passwords used and changed regularly? • This should be mandatory when an employee terminates employment.
28.	□Yes	□No	□N/A	Is anti-virus, anti-malware software used and updated regularly? • This is strongly suggested.
29.	□Yes	□No	□N/A	Are software programs and data backed-up regularly? • This is strongly suggested. If the budget allows, offsite storage is encouraged.
30.	□Yes	□No	□N/A	Is there a filtering program used on parish and school networks to limit access to unacceptable internet access?
31.	□Yes	□No	□N/A	If the school utilizes a laptop program, are the laptops adequately stored, locked, and inventoried?
32.	□Yes	□No	□N/A	 Are all outside doors locked at all times in schools? This is a security and safety issue. Installation of cameras and a monitor at the front door with remote access for opening the door is strongly recommended.
33.	□Yes	□No	□N/A	Is there a Crisis Management Program in place for schools? (Fire, wind storms, tornados and terrorism) Check requirements with the local municipality. • Suggestion: Churches should create their own Crisis Management Program in case of fire,

wind storms, tornadoes and terrorism.

RISK AWARENESS (continued)

34. □Yes □No □N/A	Are existing Crisis Management Programs filed with the Archdiocese of Cincinnati Schools Office and with local authorities?		
35. □Yes □No □N/A	Is there a policy and procedures plan for parish or school volunteers driving their own vehicles for parish/school events? • Included should be items such as use of buses and/or private vehicles, qualified drivers, adequate supervision, adequate insurance/proof of insurance – see Risk Management Site.		
36. □Yes □No □N/A	Have provisions been made for First-Aid supplies, as well as access to emergency numbers during Mass, parish activities, and school activities?		
37. □Yes □No □N/A	Are Adult Waiver and Release Forms collected for Parish sponsored events off campus?		
38. □Yes □No □N/A	Are AED batteries inspected regularly and batteries and pads changed when expired?		
If any of the previous risk awareness answers were 'No', please contact Bill Maly 513-263-3354, bmaly@catholicoaoc.org) to discuss the plan for making the answers 'Yes'.			

REAL PROPERTY RISK AND SAFETY AWARENESS

Please familiarize yourself with the proper real property policies to follow.

Visit: resources.catholicaoc.org/offices/property-management

Contact:

Questions on Property Management in the Archdiocese of Cincinnati:
Joseph Mangan, Director of Property Management
Archdiocese of Cincinnati
imangan@catholicaoc.org
513-263-6602

Checklist:

01. □Yes □No	 N/A Are the property management standard contracts being used for all construction projects, service agreements, service calls, maintenance work with outside contractors, and professional services (i.e. architects and engineers)? ◆ See resources.catholicaoc.org/offices/property-management for all available forms.
02. □Yes □No	 N/A Are all real property projects over \$25,000 contracted through the property management office and signed for only by the Archbishop? Contact Joe Mangan, Director of Property Management Office to complete these contract (513-263-6602, imangan@catholicaoc.org).

REAL PROPERTY RISK AND SAFETY AWARENESS (continued)

03. □Yes □No □N/A	Are all realtor contracts signed only by the Archbishop?
04. □Yes □No □N/A	Is the property routinely walked, looking for slip, trip, and fall exposures?
·	Is the school's AHERA asbestos binder readily available to view? Are maintenance staff trained and current in the OSHA 2-hour Asbestos Awareness Class? • This is required for the school's asbestos representative.
07. □Yes □No □N/A	 Are all areas that can possibly have lead and asbestos tested before any maintenance or construction work is completed? This includes but is not restrictive to items such as caulk, floor tiles, ceiling tiles, plaster walls, roofing, and pipe wrapping for asbestos. This includes but is not restrictive to items such as paint, potable water piping, and stained glass for lead. If areas are found to contain lead and asbestos they must be abated by a certified abatement company.
08. □Yes □No □N/A	Are stairs/hallways/rooms inspected for loose tiles and carpeting? • If loose tiles are found, testing for asbestos should be done before performing maintenance.
09. □Yes □No □N/A	Are kitchen areas and appliances regularly inspected for safe use?
10. □Yes □No □N/A	Are classrooms, meeting rooms, sanctuaries, and residence areas regularly inspected for safety issues?
11. □Yes □No □N/A	Are elevator Certificate(s) current and posted?
12. □Yes □No □N/A	Are Evacuation Routes posted?
13. □Yes □No □N/A	Are boiler certificates posted?
14. □Yes □No □N/A	Are custodial closets locked?
15. □Yes □No □N/A	Are receiving rooms locked?
16. □Yes □No □N/A	Are Underground and/or Above Ground Storage Tanks routinely inspected?
17. □Yes □No □N/A	Are flammables stored in a fire approved cabinet?
18. □Yes □No □N/A	Are lockout/tagout procedures used?
19. □Yes □No □N/A	Are hand and power tools inspected regularly and do they have approved grounding?
20. □Yes □No □N/A	Are safe ladder usage techniques used? This is mandatory.
21. □Yes □No □N/A	Are all ladders stored in locked areas, away from children?

REAL PROPERTY RISK AND SAFETY AWARENESS (continued)

22.	□Yes	□No	□N/A	Is chemical compliance (SDS) paperwork in order and available for reference?
23.	□Yes	□No	□N/A	Is Personal Protective Equipment (PPE) available and used when chemicals are in use?
24.	□Yes	□No	□N/A	Are plugs and outlets inspected and found to be in excellent condition? • If there are issues, the plugs and outlets must be replaced/repaired.
25.	□Yes	□No	□N/A	Are electrical service boxes labeled correctly and locked?
26.	□Yes	□No	□N/A	Are electrical Exit signs functioning?
27.	□Yes	□No	□N/A	Are emergency lights in good condition?
28.	□Yes	□No	□N/A	Are fire extinguishers inspected regularly and in excellent condition?
29.	□Yes	□No	□N/A	Are fire suppression and detection systems professionally inspected on a regular basis?
30.	□Yes	□No	□N/A	Are sump pumps installed with battery backup and checked regularly?
31.	□Yes	□No	□N/A	Is playground equipment inspected regularly and reviewed for safety?
32.	□Yes	□No	□N/A	Are parking lot(s) inspected regularly and pot holes filled?
33.	□Yes	□No	□N/A	Are exterior walks inspected regularly for loose concrete and trip hazards?
34.	□Yes	□No	□N/A	Are exterior steps/railings inspected regularly for safety and maintenance issues?
35.	□Yes	□No	□N/A	Are window conditions evaluated regularly and caulking maintained? • Caulking can be asbestos containing, so have caulking tested for asbestos before repairing.
36.	□Yes	□No	□N/A	Are roof conditions examined on a routine basis? • Roofing can be asbestos containing, so have roofing tested for asbestos before repairing.
37.	□Yes	□No	□N/A	Are roof hatch(es) secured and locked?
38.	□Yes	□No	□N/A	Is tuckpointing inspected annually, and inspections logged?
39.	□Yes	□No	□N/A	 Is Programmed Maintenance (PM) done on HVAC systems? Pipe insulation can be asbestos containing, so have pipe insulation tested for asbestos before repairing.
				Are backflow check valves inspected annually on water systems? Do capital replacement plans exist for expensive, essential items such as roofs, boilers/AC, windows—esp. stained glass, tuckpointing, parking lots?

If any of the previous real property risk and safety awareness answers were 'No', please contact Joseph Mangan (513-263-6602, imangan@catholicaoc.org) to discuss the plan for making the answers 'Yes'.

ATHLETIC AND STUDENT LIABILITY RISK AWARENESS

Checklist:

01. □Yes	□No	□N/A	Are regular inspections performed of the athletic facilities on parish/school property (i.e. baseball/softball/football/soccer/hockey field(s), basketball court, swimming pool, tennis courts)
02. □Yes	□No	□N/A	Do coaches, volunteers, and teachers involved in sponsored sports periodically attend seminars, workshops, camps, etc. for training in first-aid, the care and prevention of athletic injuries, supervisory responsibilities, and special training and conditioning techniques to keep participants injury-free?
03. □Yes	□No	□N/A	Is there a policy and procedure for transportation of participants? • Included should be items such as use of buses and/or private vehicles, qualified drivers, adequate supervision, adequate insurance/proof of insurance – see Risk Management Site.)
04. □Yes	□No	□N/A	Have provisions been made for First-Aid supplies, as well as access to a telephone and emergency numbers during games and practices?
05. □Yes	□No	□N/A	Are parent permission/release forms required for sports?
06. □Yes	□No	□N/A	Is a field trip policy established and enforced, as required by the Archdiocese?
07. □Yes	□No	□N/A	Does the field trip policy include the use of parent permission/release forms?
08. □Yes	□No	□N/A	Does the field trip policy include the use of volunteer driver information sheets, if applicable?
09. □Yes	□No	□N/A	Is a ratio of ten (10) students or less for every one (1) teacher/chaperon maintained during field trips or outside activities as per the Child Protection Decree?

If any of the previous athletic and student liability risk awareness answers were 'No', please contact Bill Maly (513-263-3354, bmaly@catholicaoc.org) to discuss the plan for making the answers 'Yes'.

The parish representatives listed below have reviewed and implemented the information contained in the					
Archdiocese of Cincinnati RISK AWARENESS Evaluation Report.					
Pastor:					
Signature:	Date:				
Business Manager:					
Signature:	Date:				
Principal:					
Signature:	Date:				
Maintenance Manager:					
Signature:	Date:				

PRIVILEGED AND CONFIDENTIAL, ATTORNEY WORK PRODUCT, INSURED-INSURER PRIVILEGE

The information contained in this report was obtained from sources, which to the best of the writer's knowledge are authentic and reliable. Gallagher Bassett Services, Inc. makes no guarantee of results, and assumes no liability in connection with either the information herein contained, or the safety suggestions herein made. Moreover, it cannot be assumed that every acceptable safety procedure is contained herein, or that abnormal or unusual circumstances may not warrant or require further or additional procedures.